

# Tegula

## Traditional styling.

Tegula is a popular and versatile product that provides an aged appearance, reminiscent of stone setts and ideal for traditional settings. Tegula is created using an innovative aging process and comes in a wide selection of multi-tone colours.

- Processed to give an aged, antique appearance
- Vibrant long-lasting colours
- Significantly reduced efflorescence
- Suitable for both modern or period properties

### Ef-Stop®

 <b>A</b> Aged <b>Finish</b>	 Permeable <b>Also available as</b>	 Pedestrian Use Refer to relevant guidance in BS 7533	 Light Traffic	 Commercial Traffic	 Machine Lay	 BIM Level 2
--	--	---	---	--	---	---



SCAN HERE



140 x 140mm



175 x 140mm



173 x 173mm



208 x 173mm



104 x 173mm



240 x 160mm

#### Single Sizes



130 x 173mm



173 x 173mm



197 x 173mm

#### Trio 50mm Sizes

All three sizes in one pack



50mm

60mm

80mm

#### Depths

# Tegula



## Specification



<b>Product type</b>	Concrete Paving Block
<b>Manufactured to</b>	BS EN 1338:2003
<b>Surface Finish</b>	Processed to give an aged appearance
<b>Efflorescence</b>	Minimum 12 hour vapour curing to significantly reduce the possibility of efflorescence
<b>Strength</b>	Typical tensile splitting strength of >3.6MPa
<b>Slip/Skid risk</b>	Extremely Low
<b>Installed to</b>	BS 7533-3:2005
<b>NS</b>	<b>Plus</b> Q24 110 <b>Create</b> 45-20-64/400
<b>Tolerances on Dimensions (mm)</b>	Length ±2mm, width ±2mm, thickness ±3mm
<b>Abrasion Resistance</b>	Class 3
<b>Durability (Freeze-thaw)</b>	Class 3
<b>External Fire Performance</b>	Deemed to satisfy. See Commission Decision 2000/553/EC
<b>Reaction to fire</b>	Class A1
<b>Applications</b>	Refer to the relevant part of BS 7533 for the correct sub-base design and the most suitable product size for your application. Available from <a href="http://www.bsigroup.com">www.bsigroup.com</a>
<b>Energy used</b>	100% renewable energy
<b>Water used</b>	100% from our rainwater harvesting system and groundwater bore hole
<b>Recycled content</b>	Not less than 10% (all colours except Natural, Golden & Slate)
<b>Carbon Footprint</b>	<b>140x140x50mm</b> 12.62kgCo <sup>2</sup> e/m <sup>2</sup> <b>175x140x50mm</b> 12.62kgCo <sup>2</sup> e/m <sup>2</sup> <b>Tegula Trio 50mm</b> 12.85kgCo <sup>2</sup> e/m <sup>2</sup> <b>173x173x60mm</b> 14.88kgCo <sup>2</sup> e/m <sup>2</sup> <b>208x173x60mm</b> 14.87kgCo <sup>2</sup> e/m <sup>2</sup> <b>104x173x80mm</b> 20.55kgCo <sup>2</sup> e/m <sup>2</sup> <b>173x173x80mm</b> 19.83kgCo <sup>2</sup> e/m <sup>2</sup> <b>208x173x80mm</b> 20.56kgCo <sup>2</sup> e/m <sup>2</sup> <b>240x160x80mm</b> 19.83kgCo <sup>2</sup> e/m <sup>2</sup>
<b>Recyclable</b>	100% of this product can be recycled
<b>Manufacturing &amp; Delivery</b>	From one location within the UK
<b>breem rating</b> <a href="http://www.bre.co.uk">www.bre.co.uk</a>	<b>50/60mm: A</b> , according to the Green Guide to Specification, 4 <sup>th</sup> Edition 2009. <b>A+</b> , can be achieved when used in conjunction with a prepared recycled sub-base. <b>80mm: B</b> , according to the Green Guide to Specification, 4 <sup>th</sup> Edition 2009. <b>A</b> , can be achieved when used in conjunction with a prepared recycled sub-base.

Tobermore products are manufactured in accordance with an accredited ISO 9001:2015 Quality Management. Manufacturing facilities are accredited to ISO14001:2015 Environmental Management. The company publish environmental labels and declarations in accordance with BES 6001.

### Contact Us

GB: 0844 800 5736  
 NI: 028 7964 2411  
 ROI: 048 7964 2411

### Email

[technical@tobermore.co.uk](mailto:technical@tobermore.co.uk)  
[sales@tobermore.co.uk](mailto:sales@tobermore.co.uk)

[tobermore.co.uk](http://tobermore.co.uk)

# Tegula

**Heather**

**Bracken**

**Brindle**

**Slate**

**Cedar**

**Charcoal**

**Natural**

**Golden**


## Stock

product	size (mm)	colours available	in stock	m <sup>2</sup> per pack	m <sup>2</sup> per slice	no. per m <sup>2</sup>	no. per pack	weight kg per pack GB	weight kg per pack NI/ROI
<b>Tegula 50mm</b>	175 x 140 x 50	Bracken, Charcoal, Heather, Slate	YES	13.37	1.91	40.82	546	1503	1493
	140 x 140 x 50	Bracken, Charcoal, Heather, Slate	YES	13.77	1.53	51	702	1550	1531
<b>Tegula Trio 50mm</b> (all three sizes in one pack)	197 x 173 x 50	Bracken, Brindle, Cedar, Charcoal, Golden, Heather, Slate	YES	13.65	1.05	33.3	182	1530	1520
	173 x 173 x 50						182		
	130 x 173 x 50						91		
<b>Tegula 60mm</b> BIM ML	208 x 173 x 60	Bracken, Cedar, Charcoal, Heather, Natural, Slate	YES	12.95	2.16	27.79	360	1810	1800
	173 x 173 x 60	Bracken, Cedar, Charcoal, Heather, Slate	YES	12.56	1.79	33.41	420	1743	1733
<b>Tegula 80mm</b> ML	240 x 160 x 80	Bracken, Charcoal, Heather, Slate	YES	9.6	1.92	26.03	250	1748	1738
	208 x 173 x 80	Bracken, Charcoal, Heather, Slate	YES	9.72	1.62	27.79	270	1770	1760
	173 x 173 x 80	Bracken, Charcoal, Heather, Slate	YES	9.43	1.35	33.41	315	1717	1707
	104 x 173 x 80	Bracken, Charcoal, Heather, Slate	YES	9.07	1.3	55.58	504	1628	1618

**BIM** - This product is available to download from our website in BIM Level 2 format. **ML** - This product can be hand or machine laid.

**Contact Us**

GB: 0844 800 5736  
 NI: 028 7964 2411  
 ROI: 048 7964 2411

**Email**

technical@tobermore.co.uk  
 sales@tobermore.co.uk

[tobermore.co.uk](http://tobermore.co.uk)